

Tiandy

4MP Camera



ردیف	کدس	سریک	مدل	لنز	تصویر	قیمت (ریال)
------	-----	------	-----	-----	-------	-------------

12	BULLET	Super Lite	TC-C34UN Spec: I8/A/E/Y/2.8-12mm/V4.2	STARLIGHT	Motorized Lens	116,480,000
			4MP(2688x1520@25fps),1/2.9"CMOS,2.8-12mm Varifocal Lens,120dB WDR,0.02Lux,80m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in ,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W/IP67			
		Lite	TC-C34WS Spec: I5W/E/Y/M/2.8mm/V4.2	FULL COLOR	Fixed Lens	84,336,000
			4MP(2592x1520@25fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,50m IR +WarmlightMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W/IP67			
		Super Lite	TC-C34WS Spec: I5W/E/Y/2.8mm/V4.2	FULL COLOR	Fixed Lens	72,800,000
			4MP(2592x1520@25fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,50m IR +WarmlightMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W/IP66			
		Spark	TC-C34GS Spec: I5/E/Y/C/SD/2.8mm/V4.2	STARLIGHT	Fixed Lens	64,400,000
			4MP(2688x1520@25fps),1/2.7"CMOS,2.8mm Fixed Lens,DWDR,0.002Lux,50m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,POE 802.3af, MAX 7W/IP67			
		Super Lite	TC-C34GS Spec: I5/E/Y/C/2.8mm/V4.0		Fixed Lens	59,920,000
			4MP(2688x1520@25fps),1/2.7"CMOS,2.8mm Fixed Lens,DWDR,0.002Lux,50m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W/IP67			
13	BULLET	Super Lite	TC-C34GN Spec: I5/E/Y/C/2.8mm/V4.2		Fixed Lens	56,000,000
			4MP(2688x1520@25fps),1/2.7"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,50m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 7W/IP67			
		Spark	TC-C34QN Spec: I5W/E/Y/2.8mm/V5.1	FULL COLOR	Fixed Lens	61,264,000
			4MP(2560x1440@20fps),1/3"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IR +WarmlightMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W/IP67			
14	BULLET	Spark	TC-C34QN Spec: I3/E/Y/4.0mm/V5.0		Fixed Lens	52,080,000
			4MP(2560x1440@20fps),1/3"CMOS,4mm Fixed Lens,DWDR,0.02Lux,30m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W/IP67			

20	DOME	Super Lite	TC-C34KS Spec: I3/E/Y/2.8mm/V4.0	STARLIGHT	Fixed Lens	63,504,000
			4MP(2560x1440@25fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 5W, POE 802.3af, MAX 6W/IP67,JK10			
		Lite	TC-C34XP Spec: W/E/Y/M/2.8mm/V4.0	FULL COLOR	Fixed Lens	70,190,400
			4MP(2592x1520@25fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.0004Lux,WarmlightMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W/IP66			
		Super Lite	TC-C34XS Spec: I3W/E/Y/M/2.8mm/V4.2	FULL COLOR	Fixed Lens	58,576,000
			4MP(2592x1520@25fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR +WarmlightMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W/IP66			
		Spark	TC-C34XS Spec: I3W/E/Y/2.8mm/V4.2	FULL COLOR	Fixed Lens	55,440,000
			4MP(2592x1520@25fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR +WarmlightMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W/IP66			
		Super Lite	TC-C34HS Spec: I3/E/Y/C/SD/2.8mm/V4.2	STARLIGHT	Fixed Lens	68,488,000
			4MP(2688x1520@25fps),1/2.7"CMOS,2.8mm Fixed Lens,DWDR,0.002Lux,30m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,POE 802.3af, MAX 7W/IP66			
21	DOME	Super Lite	TC-C34HS Spec: I3/E/Y/C/2.8mm/V4.0	STARLIGHT	Fixed Lens	62,384,000
			4MP(2688x1520@25fps),1/2.7"CMOS,2.8mm Fixed Lens,DWDR,0.002Lux,30m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W/IP66			
		Spark	TC-C34HN Spec: I3/E/Y/C/2.8mm/V4.2		Fixed Lens	55,888,000
			4MP(2688x1520@25fps),1/2.7"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W/IP66			
22	DOME	Spark	TC-C34XN Spec: I3/E/Y/2.8mm/V5.0		Fixed Lens	54,880,000
			4MP(2660x1440@20fps),1/3"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W			

Tiandy

2MP Camera



ردیف	کلاس	سری	مدل	لنز	تصویر	قیمت (ریال)
28	BULLET	Lite-Eco Pro	TC-C32US Spec: I8/A/E/Y/M/C/H/2.7-13.5mm/V4.0	STARLIGHT Motorized Lens		95,648,000
			2MP(1920x1080@30fps),1/2.8"CMOS,2.7-13.5mm Varifocal Lens,120dB WDR,0.002Lux,80m IRMetal Housing,BLC/HLC/AGC/3D DNR,One Audio I/O, Mic in,One Alarm I/O,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 8W, POE 802.3af, MAX 9W/IP67			
29		Lite	TC-C32WP Spec: I5W/E/Y/M/2.8mm/V4.2	FULL COLOR Fixed Lens		76,160,000
			2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,50m IR +WarmlightMetal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W/IP67			
30			TC-C32WP Spec: I5W/E/Y/2.8mm/V4.2	FULL COLOR Fixed Lens		70,560,000
			2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,50m IR +WarmlightMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W/IP67			
31			TC-C32WP Spec: W/E/Y/2.8mm/V4.1	FULL COLOR Fixed Lens		65,161,600
			2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,WarmlightMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W/IP67			
32			TC-C32WP Spec: I5/E/Y/2.8mm/V4.0	STARLIGHT Fixed Lens		57,344,000
			2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.0008Lux,50m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W/IP67			
33		Spark	TC-C32RN Spec: I5/E/Y/OX/2.8mm/V4.2	Fixed Lens		58,800,000
			2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,50m IRPlastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%, MAX 7.5W, POE 802.3af, MAX 8.5W/IP67			
34		Super Lite	TC-C32GN Spec: I5/E/Y/SD/2.8mm/V4.1	Fixed Lens		35,280,000
			2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,50m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W/IP67			
35			TC-C32GN Spec: I5/E/Y/C/2.8mm/V4.1	Fixed Lens		34,720,000
			2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,50m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W/IP67			
36			TC-C32GN Spec: I5/E/Y/C/4.0mm/V4.1	Fixed Lens		33,096,000
			2MP(1920x1080@30fps),1/2.8"CMOS,4mm Fixed Lens,DWDR,0.02Lux,50m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W/IP67			
37			TC-C32GN Spec: I5/E/Y/C/2.8mm/V4.2	Fixed Lens		34,720,000
			2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,50m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in, POE 802.3af, MAX 7W/IP67			
38		Spark	TC-C32QN Spec: I3/E/Y/2.8mm/V5.0	Fixed Lens		26,880,000
			2MP(1920x1080@30fps),1/2.9"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W,IP67			
39		AK	TC-C321N Spec: I3/E/Y/2.8mm	Fixed Lens		23,520,000
			2MP(1920x1080@30fps),1/3"CMOS,2.8mm Fixed Lens,DWDR,0.04Lux,30m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W,IP67			

40	DOME	Lite-Eco Pro	TC-C32MS Spec: I3/A/E/Y/M/C/H/2.7-13.5mm/V4.0	STARLIGHT Motorized Lens		94,774,400
			2MP(1920x1080@30fps),1/2.8"CMOS,2.7-13.5mm Varifocal Lens,120dB WDR,0.002Lux,30m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,One Audio I/O, Mic in,One Alarm I/O,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 7W, POE 802.3af, MAX 8W/IP66,IK10			
41		Lite	TC-C32KN Spec: I3/E/Y/C/2.8mm/V4.3	Fixed Lens		88,816,000
			2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IRPlastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Reset button,DC12V±25%, MAX 4.5W, POE 802.3af, MAX 5W/IP66			
42		TURRET	TC-C32XP Spec: I3W/E/Y/M/2.8mm/V4.2	FULL COLOR Fixed Lens		59,304,000
			2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR +WarmlightMetal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W/IP66			
43			TC-C32XP Spec: I3/E/Y/M/2.8mm/V4.0	STARLIGHT Fixed Lens		56,896,000
			2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.0008Lux,30m IRMetal Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W/IP67			
44			TC-C32XP Spec: W/E/Y/2.8mm/V4.0	FULL COLOR Fixed Lens		55,440,000
			2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.0008Lux,WarmlightMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 8W/IP66			
45			TC-C32XP Spec: I3W/E/Y/2.8mm/V4.2	FULL COLOR Fixed Lens		54,667,200
			2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,30m IR +WarmlightMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W/IP66			
46			TC-C32XP Spec: W/E/Y/2.8mm/V4.1	FULL COLOR Fixed Lens		48,843,200
			2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,120dB WDR,0.002Lux,WarmlightMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±25%, MAX 6W, POE 802.3af, MAX 7W/IP66			
47		Super Lite	TC-C32HN Spec: I3/E/Y/C/2.8mm/V4.2	Fixed Lens		29,568,000
			2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 7W,IP66			
48			TC-C32HN Spec: I3/E/Y/C/2.8mm/V4.1	Fixed Lens		29,568,000
			2MP(1920x1080@30fps),1/2.8"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,DC12V±25%, MAX 6.5W, POE 802.3af, MAX 7W/IP66			
49		Spark	TC-C32XN Spec: I3/E/Y/2.8mm/V5.0	Fixed Lens		26,880,000
			2MP(1920x1080@30fps),1/2.9"CMOS,2.8mm Fixed Lens,DWDR,0.02Lux,30m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W			
50		AK	TC-C32ON Spec: I3/E/Y/2.8mm	Fixed Lens		23,520,000
			2MP(1920x1080@30fps),1/3"CMOS,2.8mm Fixed Lens,DWDR,0.04Lux,30m IRMetal+Plastic Housing,BLC/HLC/AGC/3D DNR,Mic in,POE 802.3af,MAX 6W,			



نوع	نوع	نوع	نوع	نوع	نوع
51	Bullet	TC-C32WN Spec: I5/Y/WIFI/4.0mm/V4.0	Fixed Lens		49,268,800
52	Dome	TC-C32KN Spec: I3/Y/WIFI/2.8mm	Fixed Lens		48,148,800
53	PT Camera	TC-H334S Spec: I5W/C/WIFI/4.0mm/V4.1	Fixed Lens		95,424,000
54	5CH NVR	TC-R310S Spec: I/B/W (WIFI NVR)	Non POE		62,888,000



رقم	نوع	مميزات	الاسم	الصورة	القيمة (ريال)
55	Speed Dome	PRO	TC-H354S Spec: 23X/I/E/V3.0	23X Optical Zoom	398,518,400
5MP(2880*1620@30fps),1/2.8"CMOS,5mm~115mm,Digital WDR,0.001Lux,150m IRADC 12, PC-ABS,BL/CL/AGC/3D DNR,One Audio I/O,One Alarm I/O,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±10%, MAX 8.1W, POE 802.3at, MAX19.4W/PoE					



قیمت (پاک)	تصویر	لنز	مدل	سری	کلاس	دیریف	
635,530,000		33X Optical Zoom	TC-H326S Spec: 33X/I/E+/A/V3.0	PRO	Speed Dome	56	
2MP(1920X1080@30fps),1/2.8"CMOS,4.6mm~152mm,True WDR,0.001Lux,200m IRADC 12,BLC/HLC/AGC/3D DNR,One Audio I/O,One Alarm I/O,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±10%, MAX 14W, POE 802.3at, MAX24W/IP66							
340,000,000		25X Optical Zoom	TC-H324S Spec: 25X/I/E				57
2MP(1920X1080@30fps),1/2.8"CMOS,4.8mm~120mm,True WDR,0.001Lux,150m IRADC 12,BLC/HLC/AGC/3D DNR,One Audio I/O,One Alarm I/O,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±10%, MAX 9W, POE 802.3at, MAX22W/IP66							
329,000,000		23X Optical Zoom	TC-H324S Spec: 23X/I/E/V3.0				58
2MP(1920X1080@30fps),1/2.8"CMOS,5mm~115mm,True WDR,0.001Lux,150m IRADC 12, PC+ABS,BLC/HLC/AGC/3D DNR,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±10%, MAX 7.3W, POE 802.3at, MAX17.6W/IP66							
298,100,000		23X Optical Zoom	TC-H324S Spec: 23X/I/E/C/V3.0	59			
2MP(1920X1080@30fps),1/2.8"CMOS,5mm~115mm,True WDR,0.001Lux,150m IRADC 12, PC+ABS,BLC/HLC/AGC/3D DNR,Built-in Micro SD card slot, up to 512 GB,Reset button,DC12V±10%, MAX 7.3W, POE 802.3at, MAX18.5W/IP66							



Tiandy		NVR			
ردیف	کدال	مدل	تعداد هارد - POE	تصویر	قیمت (ریال)
60	40CH NVR	Lite-H	TC-R3440 Spec: I/B/N/H/C	Non POE- 4HDD	425,600,000
			40-CH,4 HDD-10TB,Bandwidth: 200Mbps/ 200Mbps Resolution: 12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIFDecoding: 3x12MP,4x8MP,4x6MP,5x5MP, 8x4MP,9x3MP,16x1080P,32x720P,40x4CIF,HDMI*1 + VGA *1,Audio I/O		
61	40CH NVR	Lite-H	TC-R3240 Spec: I/B/N/H	Non POE- 2HDD	358,400,000
			40-CH,2 HDD-10TB,Bandwidth: 320Mbps/ 320Mbps Resolution: 12MP/8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIFDecoding: 3x12MP,4x8MP,4x6MP,5x5MP, 8x4MP,9x3MP,16x1080P,32x720P,40x4CIF,HDMI*1 + VGA *1,Audio I/O,Alarm I/O:16/4		
62	32CH NVR	Lite-K	TC-R3432 Spec: I/B/K/V3.1	Non POE- 4HDD	255,000,000
			32-CH,4 HDD-10TB,Bandwidth: 160Mbps/ 48MbpsRecording Resolution: 8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIFDecoding: 2x8MP,2x6MP,3x5MP, 4x4MP,5x3MP,8x1080P,16x720P,32x4CIF,HDMI*1 + VGA *1,Audio I/O		
63	32CH NVR	Lite-K	TC-R3232 Spec: I/B/K/V3.1	Non POE- 2HDD	260,433,600
			32-CH,2 HDD-10TB,Bandwidth: 160Mbps/ 48MbpsRecording Resolution: 8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIFDecoding: 2x8MP,2x6MP,3x5MP, 4x4MP,5x3MP,8x1080P,16x720P,32x4CIF,HDMI*1 + VGA *1,Audio I/O,Alarm I/O:4/1		
64	20CH NVR	Lite-K	TC-R3220 Spec: I/B/P16/K/V3.0	16 POE - 2HDD	244,406,400
			20-CH,2 HDD-10TB,Bandwidth: 160Mbps/ 64MbpsResolution: 8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIFDecoding: 2x8MP,2x6MP,3x5MP, 4x4MP,5x3MP,8x1080P,16x720P,20x4CIF,HDMI*1 + VGA *1,Audio I/O,Alarm I/O:4/1		
65	20CH NVR	Lite-K	TC-R3220 Spec: I/B/K/V3.0	Non POE- 2HDD	210,000,000
			20-CH,2 HDD-10TB,Bandwidth: 120Mbps/ 100Mbps Resolution: 8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIFDecoding: 1x8MP,1x6MP,1x5MP, 2x4MP,2x3MP,4x1080P,8x720P,20x4CIF,HDMI*1 + VGA *1,Audio I/O,Alarm I/O:4/1		
66	20CH NVR	Lite-K	TC-R3220 Spec: I/B/K/V3.1	Non POE- 2HDD	19,699,000
			20-CH,2 HDD-10TB,Bandwidth: 160Mbps/ 64MbpsRecording Resolution: 8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIFDecoding: 2x8MP,2x6MP,3x5MP, 4x4MP,5x3MP,8x1080P,16x720P,20x4CIF,HDMI*1 + VGA *1,Audio I/O,Alarm I/O:4/1		
67	20CH NVR	Lite-K	TC-R3120 Spec: I/B/K/V3.0	Non POE- 1HDD	184,800,000
			20-CH,1 HDD-10TB,Bandwidth: 80Mbps/ 80MbpsRecording Resolution: 8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIFDecoding: 2x8MP,2x6MP,3x5MP, 4x4MP,5x3MP,8x1080P,16x720P,20x4CIF,HDMI*1 + VGA *1,Audio I/O,Alarm I/O:4/1		
68	20CH NVR	Lite-N	TC-R3120 Spec: I/B/V3.0	Non POE- 1HDD	151,200,000
			20-CH,1 HDD-10TB,Bandwidth: 80Mbps/ 80MbpsRecording Resolution: 8MP/6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIFDecoding: 1x8MP,1x6MP,1x5MP, 2x4MP,2x3MP,4x1080P,8x720P,20x4CIF,HDMI*1 + VGA *1		
69	10CH NVR	Lite-N	TC-R3110 Spec: I/B/V3.0	Non POE- 1HDD	5,852,000
			10-CH,1 HDD-10TB,Bandwidth: 60Mbps/ 40MbpsRecording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIFDecoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,10x720P,10x4CIF,HDMI*1 + VGA *1		
70	10CH NVR	Spark	TC-R3110 Spec: I/B/P8/L/S	8 POE - 1 HDD	61,286,400
			10-CH (8POE),1 HDD-8TB,Bandwidth: 60Mbps/ 40MbpsRecording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIFDecoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,8x720P,HDMI*1		
71	10CH NVR	Spark	TC-R3110 Spec: I/B/L/S/Eu	Non POE- 1HDD	55,160,000
			10-CH ,1 HDD-8TB,Bandwidth: 60Mbps/ 40MbpsRecording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIFDecoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,10x720P,10x4CIF,HDMI*1		
72	8CH NVR	AK	TC-R3108 Spec: I/B/P8/C/Eu/L/S	8 POE - 1 HDD	66,617,600
			8-CH POE,1 HDD-6TB,Bandwidth: 60Mbps/ 40MbpsRecording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIFDecoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,8x720P,HDMI*1		
73	8CH NVR	Lite-N	TC-R3108 Spec: I/B/V2.0	Non POE- 1HDD	40,880,000
			8-CH,1 HDD-6TB,Bandwidth: 60Mbps/ 40MbpsRecording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIFDecoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,5x720P,5x4CIF,HDMI*1 + VGA *1		
74	5CH NVR	Lite-N	TC-R3105 Spec: I/B/P/L	4 POE - 1 HDD	55,753,600
			5-CH,1 HDD-8TB,Bandwidth: 60Mbps/ 40MbpsRecording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIFDecoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,5x720P,5x4CIF,HDMI*1 + VGA *1		
75	5CH NVR	Lite-N	TC-R3105 Spec: I/B/L	Non POE- 1HDD	53,536,000
			5-CH,1 HDD-8TB,Bandwidth: 50Mbps/ 40MbpsRecording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIFDecoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,5x720P,5x4CIF,HDMI*1		
76	5CH NVR	Spark	TC-R3105 Spec: I/B/P/L/S	4 POE - 1 HDD	50,164,800
			5-CH,1 HDD-8TB,Bandwidth: 60Mbps/ 40MbpsRecording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIFDecoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,5x720P,5x4CIF,HDMI*1 + VGA *1		
77	5CH NVR	Spark	TC-R3105 Spec: I/B/L/S/Eu	Non POE- 1 HDD	49,022,400
			5-CH,1 HDD-8TB,Bandwidth: 50Mbps/ 40MbpsRecording Resolution: 6MP/5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIFDecoding: 1x6MP,1x5MP, 1x4MP,1x3MP,4x1080P,5x720P,5x4CIF,HDMI*1 + VGA *1		
78	4CH NVR	AK	TC-R3104 Spec: I/B/P4/C/Eu/L/S	4 POE - 1 HDD	61,280,000
			4-CH POE,1 HDD-6TB,Bandwidth: 60Mbps/ 40MbpsRecording Resolution: 5MP/4MP/3MP/1080P/UXGA/720P/VGA/4CIF/DCIF/2CIF/CIF/QCIFDecoding: 1x5MP, 1x4MP,1x3MP,2x1080P,5x720P,HDMI*1		

شرکت رایان نوین کارن فراز

مشاور، طراح، تأمین کننده، جبری و پشتیبان در زمینه تجهیزات نظارت تصویری و تجهیزات شبکه

آدرس: تهران، خیابان جمهوری، نبش شیخ هادی، مجتمع یگانه، طبقه دوم، واحد 211

شماره تماس: 09902706257 فاطمه احمدی 09129494234 اکبر کشاورز